MORE GLOW SUPER







SAMRAT




Samrat's More Glow Super is a proprietary formulation that can be used to achieve top-of-the-line, mirror-like polish with no match whatsoever.

Due to its low viscosity, More Glow Super penetrates deep within the stone giving the surface a wet-look impression and imparts mirror like reflective properties to the polished stone surface. With More Glow Super you get a variety of colors to choose from that can be used for color matching, imparting desired color shade to the stone surface or for enhancing the natural color of a stone.

Technical Data:

Parameter	Value
Gel Time in Bulk at 25°C (100g Part A + Part B)	> 5 hours
Viscosity of Part A at 25°C	7 cP
Viscosity of Part B at 25°C	18 cP
Relative Density of Part A at 25°C	0.98
Relative Density of Part B at 25°C	0.96
Aspect of Part A	Colored Liquid
Aspect of Part B	Clear Liquid
Aspect of Cured Resin	Colored Solid
Mixing Ratio (Part A: Part B wt%)	3:1
Shelf Life When Kept Between 15°C - 35°C	12 months
Ambient Temperature	
Tack-Free at 25°C, 50% Relative Humidity	~ 2 hours 20 minutes
Coverage	28 - 37m ² /kg
Resting Time Before Polishing at 25°C	24 hours
Accelerated Weathering Test, 2000 hours*	Pass**
VOC Content	Low. EPA Compliant.

*(ISO16474) **No detachment of resin from substrate



Available Colors: Black, Brown, Orange Red, Red, Reddish Brown

Note: Pictures captured under similar lighting

The information and recommendations contained within this document, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of the contained information and recommendations must evaluate its suitability for their purpose on their own. Samrat Chemical Industries does not make any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, fitness of information and recommendations for a particular purpose or any third party's use or the results of such use of any information, product, or process disclosed, or represents that its use would not infringe privately owned rights. In no event shall Samrat Chemical Industries assume liability for damages or losses of any kind or nature that result from the use of or reliance upon the information and/or recommendations contained within this document. Samrat Chemical Industries reserves the right to make any changes to information and/or recommendations at any time, without prior or subsequent notice.

